MATERIAL IDENTIFICATION AND USE

Material Name: TINTED POLYMERS,

OPAQUE

Synonyms:

Safety Data Sheet

Supplier: JBC and Company

Address: 10484 Ranch Road 965

Fredericksburg, TX 78624

Tel:

830-685-3700

Fax: 830-685-3703

info@jbcandcompany.com email:

SECTION 1: Identification

Product identifier:

2005 - JBC's Opaque Tinted Polymers

Supplier's details

JBC and Company, 10484 Ranch Road 965, Fredericksburg, TX 78624

Phone & Emergency phone number: Phone: 830-685-3700

CHEMTRAC: 800-424-9300

SECTION 2: Hazard identification

Classification of the substance or mixture

Sensitization, skin (chapter 3.4), Cat. 1

GHS label elements, including precautionary statements

Pictogram



| Signal word | Warning |
|-------------|---------|
| | |

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H361 Suspected of damaging fertility or the unborn child

H402 Harmful to aquatic life

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P240 Ground/bond container and receiving equipment. P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash ... thoroughly after handling. P264

P272 Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. P280

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water/... Specific treatment (see ... on this label). P321

If skin irritation or a rash occurs: Get medical advice/attention. P333+P313

P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

Mixtures and Hazardous components

1. POLY(METHYLMETHACRYLATE) Concentration 80 - 90 % (Weight)

CAS no. 9011-14-7

2. DIETHYL PHTHALATE Concentration 10 - 20 % (Weight)

CAS no. 84-66-2

3. BENZOYL PEROXIDE 70% Concentration 0.01 - 1 % (Weight)

EC no. 202-327-6 CAS no. 94-36-0

Index no. 617-008-00-0

Organic peroxides (chapter 2.15), Type B
 Eye damage/irritation (chapter 3.3), Cat. 2

- Sensitization, skin (chapter 3.4), Cat. 1

H241 Heating may cause a fire or explosion
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation

4. Proprietary Colorants Concentration < 5 % (Weight)

5. TITANIUM DIOXIDE Concentration < 0.1 % (Weight) CAS no. 13463-67-7

Trade secret statement (OSHA 1910.1200(i))

Exact percentages and colorant names have been altered to protect Trade Secret per OSHA 1910.1200(i)

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice Provide the SDS to medical personnel for treatment.

If inhaled Remove victim to fresh air. Seek immediate medical attention,

In case of skin contact Rinse thoroughly with lukewarm water, followed by a thorough washing of the

affected area with soap and water. If irritation, redness or swelling persists,

contact a physician immediately.

In case of eye contact If product gets in the eyes, flush with lukewarm water for at least 15 minutes.

If irritation occurs, contact a physician.

If swallowed If ingested, do not induce vomiting. If product has been swallowed, drink

plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention

immediately.

SECTION 5: Fire-fighting measures

Suitable extinguishing media Water, Chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide. Specific hazards arising from the chemical

Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

Special protective actions for fire-fighters

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

Further information

Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static discharge. Follow grounding and bounding procedures. Polymers are not sensitive to mechanical impacts.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Before cleaning any spill or leak, individuals must wear appropriate Personal Protective Equipment that is specified in section 8. Keep airborne particulates at a minimum when cleaning up spills. Deny entry to all unprotected individuals. Remove any contaminated clothing and wash thoroughly before reuse.

Environmental precautions

Extinguish all ignition sources. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802

Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material (e.g. sand or earth). May contaminate water supply.

Reference to other sections

Maximize ventilation (open doors and windows) and secure all sources of ignition. Use good, local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap. Not a RCRA Hazardous waste.

SECTION 7: Handling and storage

Precautions for safe handling

Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping. Avoid prolonged contact with the product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

Conditions for safe storage, including any incompatibilities

Store containers in a cool, dry location, away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat. The temperature should remain at or under 72°F (22°C) at all times. Storing above recommended temperature will cause product performance issues. Store in accordance with National Fire Protection Association recommendations. Observe all label precautions until the container is cleaned, reconditioned, or destroyed.

Incompatible Materials

Strong oxidizers, strong oxidizing agents.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet 2005 - JBC's Opaque Tinted Polymers

Control parameters

CAS: 13463-67-7

Titanium dioxide - Total dust

Cal/OSHA: See PNOR PEL inhalation; NIOSH: Ca, (ultrafine particles), 2.4 mg/m3\mathbb{R}fine), 0.3 mg/m3(ultrafine),

See Appendix A, See Appendix C REL inhalation; OSHA: 15 mg/m3 PEL inhalation

CAS: 84-66-2

DIETHYL PHTHALATE

ACGIH: 5 mg/m3 TWA; NIOSH: 5 mg/m3 TWA

CAS: 94-36-0 (EC: 202-327-6) BENZOYL PEROXIDE 70%

ACGIH: 5 mg/m3; NIOSH: 5 mg/m3; OSHA: 5 mg/m3 TWA

Appropriate engineering controls

Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety glasses, chemical goggles when splashing is possible, when dealing with this material. If necessary, refer to U.S. OSHA 29 CFR §1910.133, or other appropriate governing standard. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

Skin protection

Complete suit protecting against chemicals; the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands

Body protection

Complete suit protecting against chemicals; the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands

Respiratory protection

A respirator should be worn whenever workplace conditions warrant use of a respirator. If dust conditions are present, a N95 respirator dust mask is required. None required if airborne concentrations are maintained below any exposure limit that may be listed above. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134 or other appropriate governing standard.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form Clear powder
Odor Faint
Initial boiling point and boiling range 295° C

Flash point 579° F / 304° C

SECTION 10: Stability and reactivity

Safety Data Sheet 2005 - JBC's Opaque Tinted Polymers

Chemical stability

Stable

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Incompatible materials

Strong oxidizers

Hazardous decomposition products

Methacrylate Monomer and Oxides of Carbon when burned

SECTION 11: Toxicological information

Information on toxicological effects

Carcinogenicity

No data available.

STOT-single exposure

Routes of Exposure: Inhalation Eye Contact Ingestion

Target Organs

Eyes, Central Nervous System, Reproductive System, Skin, Peripheral Nervous System, Respiratory System

SECTION 12: Ecological information

Toxicity

Diethyl Phthalate 96 Hr LC50 Pimephales promelas: 17 mg/L [flow-through]

96 Hr LC50 Pimephales promelas: 16.8 mg/L [static]

96 Hr LC50 Lepomis macrochirus: 22 mg/L [flow-through]

96 Hr LC50 Oncorhynchus mykiss: 12 mg/L [flow-through]

48 Hr EC50 Daphnia magna: 36 - 74 mg/L

48 Hr EC50 Daphnia magna: 86 mg/L [Static]

72 Hr EC50 Desmodesmus subspicatus: 23 mg/L

72 Hr EC50 Desmodesmus subspicatus: 23 mg/L [static]

96 Hr EC50 Desmodesmus subspicatus: 21 mg/L

72 Hr EC50 Pseudokirchneriella subcapitata: 42 - 255 mg/L

96 Hr EC50 Pseudokirchneriella subcapitata: 2.11 - 4.29 mg/L [static]

SECTION 13: Disposal considerations

Disposal of the product

Dispose waste material in accordance with Federal, State, and Local regulations. it is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Comply with all applicable federal, state and local regulations. Waste disposal options include landfilling solids at permitted sites. Incinerate in a chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.

Disposal of contaminated packaging

Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual flammable material, associated with empty containers. Dispose of all empty containers properly, in accordance with Federal, State and Local regulations.

SECTION 14: Transport information

| | UN Number | None |
|------|------------------------------|------|
| | UN Proper Shipping Name | None |
| 14.3 | Transport hazard class(es) | None |
| 14.4 | Packing group | None |
| | Environmental hazards | None |
| | Special precautions for user | None |
| | | |

Version: 1.0, Date of issue: June 2015, p. 5 of 6

Safety Data Sheet 2005 - JBC's Opaque Tinted Polymers

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

None

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components

Chemical name: Diethyl phthalate

CAS number: 84-66-2

Chemical name: Benzoyl peroxide

CAS number: 94-36-0

New Jersey Right To Know Components Common name: DIETHYL PHTHALATE

CAS number: 84-66-2

Common name: BENZOYL PEROXIDE

CAS number: 94-36-0. Common name: TITANIUM DIOXIDE

CAS number: 13463-67-7

Pennsylvania Right To Know Components

Chemical name: 1,2-Benzenedicarboxylic acid, diethyl ester

CAS number: 84-66-2

Chemical name: Peroxide, dibenzoyl

CAS number: 94-36-0. Chemical name: Titanium oxide

CAS number: 13463-67-7

SARA 313 Components

Common name: BENZOYL PEROXIDE

CAS number: 94-36-0

HMIS Rating







SECTION 16: Other information

Prepared by: JBC and Company in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Revision Indicator: New SDS

Disclaimer: The information contained herein is accurate to the best of our knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. JBC and Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.