

## Olivia Channon

---

**From:** Nan S. Duryea <nanrs@goldnbraces.com>  
**Sent:** Friday, January 11, 2019 11:27 AM  
**To:** Olivia Channon  
**Subject:** RE: SDS Request

Our products do not meet the hazardous requirements of OSHA or the GHS system.

*Regards,*

**Nan S. Duryea**

Gold'n Braces Inc.

2595 Tampa Rd. Ste. I

Palm Harbor, Fl. 34684

727-785-5491

727-787-5000 Fax.

---

**From:** Olivia Channon <Olivia@neolab.com>  
**Sent:** Friday, January 11, 2019 10:08 AM  
**To:** Nan S. Duryea <nanrs@goldnbraces.com>  
**Subject:** RE: SDS Request

Hi Nan,

Thank you for getting back to me so quickly.

I am looking for a standardized SDS sheet, like the one attached. If this product is not considered hazardous, which I doubt it is, I can use the composition sheets you sent me earlier with a confirmation from your company that this product does not meet the hazardous requirements of OSHA or the GHS system.

Please let me know if you need any other information on this.

Thanks!

**Olivia Channon**

*Document Control*

**New England Orthodontic Lab**

**3 Riverside Drive | Andover, MA 01810**

t 978.284.6501 | f 978.284.6505

[olivia@neolab.com](mailto:olivia@neolab.com) | [www.neolab.com](http://www.neolab.com)

---

*Confidentiality Note: This email may contain confidential and/or private information. If you received this email in error, please delete and notify sender.*

---

**From:** Nan S. Duryea <[nanrs@goldnbraces.com](mailto:nanrs@goldnbraces.com)>  
**Sent:** Friday, January 11, 2019 9:59 AM

**To:** Olivia Channon <[Olivia@neolab.com](mailto:Olivia@neolab.com)>

**Subject:** RE: SDS Request

Not sure if this is what you need. If not, let me know.

Regards,

Nan

*Regards,*

**Nan S. Duryea**

Gold'n Braces Inc.

2595 Tampa Rd. Ste. I

Palm Harbor, Fl. 34684

727-785-5491

727-787-5000 Fax.

---

**From:** Olivia Channon <[Olivia@neolab.com](mailto:Olivia@neolab.com)>

**Sent:** Friday, January 11, 2019 9:19 AM

**To:** [nanrs@goldnbraces.com](mailto:nanrs@goldnbraces.com)

**Subject:** SDS Request

Good morning,

I am looking for SDS sheets for two products we order:

- Penta Twist Wire
- Round Retainer Wire

Thank you for your help. I appreciate it.

**Olivia Channon**

*Document Control*

**New England Orthodontic Lab**

**3 Riverside Drive | Andover, MA 01810**

t 978.284.6501 | f 978.284.6505

[olivia@neolab.com](mailto:olivia@neolab.com) | [www.neolab.com](http://www.neolab.com)

---

*Confidentiality Note: This email may contain confidential and/or private information. If you received this email in error, please delete and notify sender.*

**Gold'n Braces Inc.**  
**2595 Tampa Rd. Suite I**  
**Palm Harbor Fl. 34684**

Phone 727-785-5491 Fax 727-787-5000

[www.goldnbraces.com](http://www.goldnbraces.com)

Metallurgical Information: Product . Penta Wire from Masel Inc.

302 Stainless Steel

Chromium 17-19%

Nickel 8-10%

Manganese 2% Max.

Silicon 1% Max.

Carbon 0.15% Max.

Phosphorus 0.045% Max.

Iron Balance

304V Stainless Steel

Chromium 18-20%

Nickel 8-10.5%

Manganese 2% Max.

Silicon 1% Max.

Carbon 0.08% Max.

Phosphorus 0.045% Max.

Iron Balance

The percentages are by weight.

The Gold Plate, by Gold'n Braces Inc. Consists of Gold 23 + Karat with cobalt added as a hardener and brighten

kindest Regards,  
Nan S. Duryea  
Gold'n Braces Inc.